
Multi award winning flooring

Eco Flooring Systems believes in sustainability. Our commitment to sustainability means you can rely on us as sustainable suppliers, providing sustainable products from a sustainable environment for your long term well being.



SINCE 1996



1

CE I

2

W CI

Prestige domestic and commercial flooring since 1996.

2014	ACT Architecture Awards- INLITE Light in Architecture Prize Winner awarded to Phillip Leeson Architects for the Embassy of the Kingdom of the Netherlands who also won a Public Architecture Commendation – where BT bamboo is installed
2014	VIC Architecture Awards Entrant – Box Hill Institute of TAFE – where BT bamboo is installed
2013	RMIT Premier's Sustainability Awards where Eco Flooring Systems flooring is installed
2012	ATFA Floor of the Year Manufacturer Factory Finished
2012	Prestigious Sulman Medal Award for the Mabel Fidler Building to BVN Architects where Eco Flooring Systems flooring is installed
2012	Property Council of Australia 2012 Innovation & Excellence Awards - S4B Studio Awards for Best Heritage and Adaptive Reuse for "39 Hunter Street" where Eco Flooring Systems flooring is installed
2011	Australian Institute of Architects 2011 Diploma - Sustainable Architecture Commendation - in recognition of outstanding architectural work with energy efficiency principles for "39 Hunter Street" where Eco Flooring Systems flooring is installed
2011	The Australian Property Institute 2011 NSW Excellence in Property Awards - The Office of the Valuer General Heritage Award for "39 Hunter Street" where BT bamboo is installed
2008	Australian Institute of Architects National awards - Public Architecture- m3architecture Brisbane Girls Grammar School- Music Room
2008	Australian Institute of Architects National awards - Residential Architecture- McBride Charles Ryan for The Klein Bottle House





Our impressive portfolio includes many high profile commercial sites such as Pandora, Lush, Ripcurl, Lend Lease, Citi Bank, Dutch Embassy, BMW and much more.

Precision machined pre-finished solid bamboo flooring. Manufactured to the highest standard suited to Australian conditions. We have 23 quality control checks on bamboo density, weight, hardness, lamination set up, colour consistency, moisture content, machining tolerance to ensure unrivaled consistent best quality that will stand up over time.

History

6


1111

PANDÖRA

11



BT Strand Woven Bamboo





Сосоа



Genuine Välinge patented locking systems with waxed edges for easy, tight installations.

Espresso



BT Strand Woven Technical Specifications

Dimensions: 1845 x 130 x 14mm Construction: Solid strand woven Joint System: Valinge Environmental: E0 Janka Rating: 15.3 Warranty: 25 year Wear / Life Time Structural Edging: Micro- Beveled Surface Finish: Satin Installation: Floating



BT bamboo | Natural 14mm



BT bamboo | Toffee 14mm




BT bamboo | Coffee 14mm


Did you know that BT bamboo boards only use bamboos from controlled bamboo forests that are sustained.



BT bamboo | White 14mm



BT bamboo | Cloud 14mm



BT bamboo | Platinum 14mm

BT bamboo is manufactured to the highest standard suited to Australian conditions.



BT Classic Bamboo





Carbonated amber vertical



Carbonated amber horizontal





Light sand vertical


Light sand horizontal

People who have artistic personality never stop their steps of tracing the temperament of natural arts of life.



BT Classic Technical Specifications

Dimensions: 1920 x 158 x 15mm Construction: Vertical or horizontal Joint System: Tongue & Groove Environmental: E0 Janka Rating: 8.3 Warranty: 25 year Wear / Life Time Structural Edging: Micro- Beveled Surface Finish: Satin / Gloss Installation: Nail down, glue down Moisture Content: 6- 10%





Head Office: Phone: 02 9643 5383 Email: bamboo@ecoflooring.com.au



www.ecoflooring.com.au

Copy right reserved by Eco Flooring Systems. All unauthorized copying of this catalogue is strictly prohibited. Product images may differ from actual product.